

# A New Single Switch Bridgeless SEPIC PFC Converter with Low Cost, Low THD and High PF

Yasemin Onal<sup>1</sup>, Yilmaz Sozer<sup>2</sup>

<sup>1</sup>The University of Bilecik Seyh Edebali, Department of Electrical and Electronic Engineering, Turkey  
yasemin.onal@bilecik.edu.tr

<sup>2</sup>Member, IEEE, The University of Akron, Department of Electrical and Computer Engineering, US  
ys@uakron.edu

## Abstract

**In this paper, a new single switch bridgeless AC/DC power factor correction PFC converter topology to achieve high PF and low THD is proposed. The proposed converter is based on the single ended primary inductance converter SEPIC topology. The SEPIC converters can operating from an input voltage that is greater or less than the output voltage. The proposed PFC uses only one active switch to PFC process together hoping higher PF and low THD. Besides the application cost is less than conventional bridgeless SEPIC PFC, in where two active switching devices are necessary. In order to verify the performance comparison between the proposed and the conventional SEPIC PFC, simulation circuit with 100W is install in PSIM. The simulation results are presented to demonstrate the feasibility of the proposed converters. The results show that the proposed bridgeless SEPIC PFC perfectly succeeds PFC operation using a single active switch.**

## 1. Introduction

The request for developing power quality of the AC system has drawn excessive interest during the recent years. The increased usage of power electronic devices, such as variable speed drives, uncontrolled rectifiers and other switching devices, affects the power quality of the utility grid significantly. Standards similar to International Electro technical Commission (IEC) 61000-3-2 restrict the harmonics generated by these equipments [1]. To reduce harmonics in energy transmission lines, the research on active power factor correction (PFC) techniques has taken on an accelerated path [2-5].

Typical PFC converter topologies are boost [6,7], buck-boost [8], buck [9-11] and SEPIC [12-17]. The boost PFC converter is often used in practical applications, as the input current can be conveniently formed into a sinusoidal waveform to obtain unity power factor. However, the boost PFC converter has a restricted capability since the DC output voltage must be higher than the peak value of the AC input voltage [8]. On the other hand, the DC output voltage of the buck PFC is lower than the peak of the AC input voltage, which allows reducing components ratings and the cost. [11]. A buck PFC converter procures an alternative for low-voltage applications such as a 48V DC bus. Moreover, the buck PFC can obtain high efficiency over the entire input voltage range with distorted input current that comfortably passes the limits imposed by IEC 61000-3-2 requirements [1].

The input current of the buck PFC converter has dead zones along the cycle, which requires extensive passive filtering to improve the power factor. There is a tradeoff between output


voltage choice and power factor. To solve this problem, SEPIC or Cuk converters were proposed. A conventional SEPIC converter can supply a high power factor in wide range of voltage conditions [13-14]. The conventional bridgeless SEPIC PFC converters involve two active switches to transmit an input current in keeping with the every cycle. This increases the application cost including the gate drivers and snubbers. Moreover, increasing the number of active switch equipments also decreases the reliability of the entire power stage.

This paper presents a new topology for single switch bridgeless AC/DC SEPIC PFC converters that reduces the THD and improves the PF of the operation with low cost. Proposed SEPIC converter combines the bridge and DC/DC stages into one stage and uses a single active switch. Therefore, the application cost can be decreased. Compared to the conventional bridgeless SEPIC PFC converter, the proposed converter uses two more diodes on the current path to avoid a short circuit condition, but reduce the number of the active switch whose realization cost is higher than several passive switching components such as a diode. So the total cost saving can be succeed. In the section 2, the proposed SEPIC converter topology and studying mode are analyzed in detail. In Section 3, the design procedure and control circuit of the proposed converter are explained. The power circuit model and simulation results of the proposed SEPIC converter are presented in Section 4. The conclusion is provided in Section 5.

## 2. Proposed Bridgeless SEPIC PFC Converter

In Fig. 1, a proposed bridgeless SEPIC PFC with one active switch is shown. Only one active switch  $Q_1$  is used, and it transmits in an electrical cycle. When  $Q_1$  turns on the entire cycle, the blocking diodes  $D_2$  and  $D_3$  are required to prevent confliction of positive and negative half cycles.

Fig 2 shows the operation of the proposed bridgeless SEPIC converter in a positive switching cycle. In fig. 2(a),  $V_s$  is positive and  $Q_1$  is turned on. The input inductor current  $i_{L_1}$  starts to rise linearly by a slope of  $V_{ac}/L_1$ . The voltage across  $L_2$  is equal to the voltage of  $C_1$  which follows the input voltage. Thus,  $\dot{i}_{L_2}$  decreases linearly by a slope of  $-V_{ac}/L_2$ . This mode ends by turning off  $Q_1$ . The input inductor current  $L_1$  is written as follows:



**Fig. 1.** Proposed bridgeless SEPIC PFC converter with single switch

$$i_s(t) = i_{L1}(t) = i_s(t_0) + V_{ac}(t_0)/L_1(t - t_0) \quad (1)$$


$$i_{L2} = i_s(t_0) - V_{ac}(t_0)/L_2(t - t_0) \quad (2)$$

In fig. 2(b), by turning  $Q_1$  off,  $D$  begins to conduct. Input inductor current decreases linearly by a slope of  $-V_0/L_1$ , and  $i_{L2}$  increases linearly by a slope of  $V_0/L_2$ ,  $i_{L2}$  is obtained as the following:


$$i_{L2}(t) = i_{L2}(t_1) + V_0/L_2(t - t_1) \quad (3)$$

In fig. 2(b), when  $D$  turns off, the current through inductors  $L_1$  and  $L_2$  are equal.


$$i_{L1} = i_{L2} \quad (4)$$



(a) when  $V_s$  is positive,  $Q_1$  is turned on and  $D$  turn off



(b) when  $V_s$  is positive,  $Q_1$  is turned off and  $D$  turn on



(c) when  $V_s$  is positive,  $Q_1$  is turned off and  $D$  turn off  
**Fig 2.** Operation of the proposed bridgeless SEPIC PFC converter in a positive switching cycle.

### 3. Design Procedure and Controller

#### 3.1. Design Procedure

Following are the standard design equations of the main components of the AC/DC SEPIC PFC[15-17]. There are many factors involved in the design process of bridgeless SEPIC PFC. AC input voltage rms is 120V, DC output voltage is 48V, output power is 100W, input current peak is  $I_{in\_peak}$ , input current ripple is  $20\%I_{in\_peak}$ , line frequency  $f_{ac}$  is  $60 H_z$  and the switching operation frequency is  $f_s$   $30 kHz$ . The following calculations are used to select the appropriate inductances for  $L_1$  and  $L_2$ . If efficiency ( $\eta$ ) is set equal to 95%, from the output power and converter efficiency, the following equation can be obtained:

$$I_{in\_peak} = I_1 = \frac{2 \times P_0}{\eta \times V_1} = \frac{2 \times 100}{0.95 \times 120 \times \sqrt{2}} = 1.24A \quad (5)$$

$$\Delta I_L = 20\%I_{in\_peak} = 0.25A$$

Input current ripple is

$$\Delta I_L = \frac{V_{ac} \times d}{L_1 \times f_s} \quad (6)$$

$$d \leq \frac{V_0}{V_{ac} + V_0} \quad (7)$$

where  $d$  is the duty ratio. The output average current in a switching cycle can be obtained from Eq.8:

$$i_{DC\_avg} = \frac{i_{DC\_peak} \times d}{2} = \frac{V_{ac}^2(t_0)d^2T_s}{2L_eV_0} \quad (8)$$

where  $I_{DC\_peak}$  is the peak current and it can be obtained from the following relation:

$$i_{DC\_peak} = i_{L1}(t_1) + i_{L2}(t_1) = \frac{1}{L_1} + \frac{1}{L_2}V_{ac}(t_0)dT_s \quad (9)$$

The average output current in one half of the line cycle can be obtained from Eq.10:

$$I_{DC\_avg} = \frac{1}{\pi} \int_0^{\pi} i_{DC\_avg} d\omega t = \frac{V_1^2 d^2 T_s}{4L_e V_0} \quad (10)$$

thus from Eq. 7, d can be calculated as

$$d \leq \frac{48}{120 \times \sqrt{2} + 48} \leq 0.22 \quad (11)$$

selecting  $d=0.2$ ,  $L_e$  can be calculated from the following equation:

$$L_e = \frac{V_1^2 \times d^2}{4 \times V_0 \times f_s \times I_{0\_avg}} = \frac{(\sqrt{2} \times 120)^2 \times 0.2^2}{4 \times 48 \times 30000 \times 1.17} = 237 \mu H \quad (12)$$

$L_1$  can be calculated as

$$L_1 = \frac{V_1 \times d}{f_s \times \Delta I_L} = \frac{\sqrt{2} \times 120 \times 0.2}{30000 \times 0.25} = 4.4 mH \quad (13)$$

Therefore,  $L_2$  can be calculated from the following equation

$$\frac{1}{L_2} = \frac{1}{L_e} - \frac{1}{L_1} = \frac{1}{237 \mu H} - \frac{1}{4.4 mH} \Rightarrow L_2 = 100 \mu H \quad (14)$$

The output capacitance required to achieve a desired percentage bus ripple can be expressed as :

$$C_0 = \frac{P_{load}}{V_{out} \times \Delta V_{bus(\%)} \times 4 \times f_{ac}} = \frac{100}{48 \times 5 \times 4 \times 60} \quad (15)$$

$$= 2.1 mF \approx 2200 \mu F$$

### 3.2. Control Circuit

Fig. 3 shows the block diagram of the control circuit. The control circuit consists of one voltage control loop and one current control loop. Two proportional integral PI controllers are used for each control loop.




Fig. 3. Block diagram of controller

The high frequency switching of the inverter causes switching ripples on the DC bus. These switching ripples can introduce an error in reference signal estimation. Therefore the sensed DC link voltage is processed by using a band stop filter BSF before comparison with the reference value. By doing so, the dynamic property of the voltage control loop can be developed without introducing unnecessary 120Hz component in the current reference.

## 4. Simulation Results

The parameters of the power circuits for all SEPIC PFC are summarized in Table 1. The proposed bridgeless SEPIC topology is simulated to compare with conventional SEPIC. PSIM simulation software was used to verify the steady state waveforms of each component. The duty ratio reference was selected as 0.2 which corresponds the required duty reference to produce 48V output at the peak of the input voltage. The 2nd order band stop filter gain, center frequency and stopping band are designed as 1, 120 and 20, respectively.

Table 1. The parameters for the simulation circuit

Input inductances $L_1$	4.4 mH
Output capacitance $C_0$	2100 $\mu F$
Voltage input capacitance $C_1$	1 $\mu F$
Output inductances $L_2$	100 $\mu H$
Input voltage $V_{rms}$	120 V
Rated output power $P_o$	100 W
Output voltage reference $V_{ref}$	48 V
Operating frequency $f_{ac}$	60 Hz
Switching frequency $f_s$	30 kHz

### 4.1. PSIM Simulation of Conventional SEPIC PFC Converter

Fig. 4 shows the switching model for simulation circuit of conventional SEPIC PFC in PSIM. In the switching model, all active and passive switching devices are assumed as ideal elements, so their voltage drops are ignored.




Fig. 4. PSIM simulation circuit for conventional SEPIC PFC

Fig. 5 shows input current and output voltage signals for conventional SEPIC PFC. As shown in the fig.5, the input current is regulated sinusoidally and the output voltage is controlled to 48V. In the output voltage, the well known double frequency ripple, here 120Hz. Fig. 6 shows transient signals for conventional SEPIC PFC. The PF and THD values are measured as respectively 0.994 and 7.47%.




Fig. 5. Input current and output voltage for conventional SEPIC




Fig. 6. The transient signals for conventional SEPIC PFC

#### 4.2. PSIM Simulation of Proposed Bridgeless SEPIC PFC Converter

Fig. 7 shows the switching model for simulation circuit of proposed bridgeless SEPIC PFC converter in PSIM. In the switching model, all active and passive switching devices are assumed as ideal elements, so their voltage drops are ignored.




Fig. 7. PSIM simulation circuit for proposed bridgeless SEPIC PFC

Fig. 8 shows input current and output voltage signals for proposed bridgeless SEPIC PFC. As shown in the fig.8, the input current is regulated sinusoidally and the output voltage is controlled to 48V. In the output voltage, the well known double frequency ripple, here 120Hz. Fig. 9 shows transient signals for proposed bridgeless SEPIC PFC. The PF and THD values are measured as respectively 0.998 and 4.88%.




Fig. 8. Input current and output voltage for proposed bridgeless SEPIC PFC




Fig. 9. The transient signals for proposed bridgeless SEPIC PFC




Fig. 10. The transient response of the proposed SEPIC PFC simulation model

The transient response of the improved simulation model are shown in Fig10. The load is adjusted at  $t=0.3s$  from 100 percent to 25 percent in step in the simulation. As shown in the Fig 10, the input current and the output voltage controls are stable and the voltage is very well regulated. At  $t=0.6s$ , the load is adjusted to 100 percent. In that condition, there is no significant transient problem. DC output voltage is 48V. It can be observed from this figure that input current is in phase with input voltage and is practically sinusoidal with low total harmonic distortion and high power factor, output voltage which is regulated at around 48V, with a  $120 H_z$  low frequency ripple.

Conventional and bridgeless SEPIC PFC converters are compared in Table 2. The PF and THD values for proposed converter are measured as respectively 0.998 and 4.88%. The simulations show that it is an excellent option for proposed bridgeless SEPIC PFC with single active switch for lower power applications.

**Table 2.** Compare of SEPIC PFCs in terms of THD and PF

	THD(%)	PF
Conventional SEPIC PFC	7.47 %	0.994
<b>Proposed bridgeless SEPIC PFC with one active switch</b>	<b>4.88%</b>	<b>0.998</b>

## 5. Conclusion

In this paper, a single phase bridgeless SEPIC PFC converter topology with single active switch has been proposed. For the proposed converter, the circuit topology, the operation modes, design procedure and the control circuit have been shown in detail. In order to see the performance of the proposed SEPIC converter, a 100W switching model was built in PSIM software package. The total harmonics distortion and power factor were calculated by using THD tool and PF tool. Comparisons were made between the proposed bridgeless SEPIC converter and the conventional SEPIC converter. By using the improved simulation model, both the transient and the steady state operations have been investigated. The power factor and the source current total harmonic distortion are improved as 0.998 and 4.88% respectively. The simulation results shows a high input power factor, low total harmonic distortion. Since the proposed SEPIC converter uses only one single active switch, it is expected that the application cost can be decreased and the reliability of the entire power stage can be developed. It is an excellent option for single phase bridgeless SEPIC PFC topology solution for lower power equipments especially those requiring high quality and low THD input power.

## 6. Acknowledgment

This study is supported by the TUBITAK (The Scientific and Technological research Council of Turkey).

## 7. References

- [1] IEC 61000-3-2, International Electro technical Commission, Geneva, Switzerland, 1998
- [2] C. Qiao, K. M. Smedley, "A topology survey of single-stage power factor corrector with a boost type input-current-shaper", IEEE Trans. Power Electron., vol. 16, no. 3, pp. 360-368, May, 2001
- [3] O. Gracia, J. A. Cobos, R. Prieto, J. Uceda, "Single phase power factor correction: A survey", IEEE Trans. Power Electron., vol. 18, no. 3, pp. 749-755, May, 2003
- [4] M. M. Jovanovic, Y. Jang, "State-of-the-art, single-phase, active power-factor-correction techniques for high-power applications-An-overview", IEEE Trans. Ind. Electron., vol. 52, no. 3, pp. 701-708, Jun, 2005
- [5] A. Villarejo, J. Sebastian, F. Soto, E. de Jódar, "Optimizing the design of single-stage power-factor correctors", IEEE Trans. Ind. Electron., vol. 54, no. 3, pp. 1472-1482, Jun. 2007
- [6] T. Qi , L. Xing and J. Sun, "Dual-boost single-phase PFC input current control based on output current sensing", IEEE Trans. Power Electron., vol. 24, no. 11, pp.2523-2530, 2009
- [7] K. Raggl , T. Nussbaumer , G. Doerig , J. Biela and J. W. Kolar, "Comprehensive design and optimization of a high-power-density single-phase boost PFC", IEEE Trans. Ind. Electron., vol. 56, no. 7, pp.2574 -2587, 2009
- [8] W. Wei , L. Hongpeng , J. Shigong, X. Dianguo "A novel bridgeless buck-boost PFC converter", Proc. IEEE Power Electron. Spec. Conf., Rhodes, pp.1304-1308, 2008
- [9] Y. Jang and M. M. Jovanovi&ccacut; "Bridgeless high-power-factor buck converter",IEEE Trans. Power Electron, vol. 26, no. 2, pp.602-611 2011
- [10] N. S. Kurian, F. Mohan, "Performance Evaluation of Bridgeless High Power factor Buck Front End", International Journal of Engineering Research & Technology, vol. 3, 2014.
- [11] L. Huber, L. Gang, M. M. Jovanovi'c, "Design-Oriented analysis and performance evaluation of buck PFC front-end", IEEE Trans. Power Electron., vol. 25, no. 1, pp. 85-94, Jan. 2010
- [12] N. Madhumitha, C. Christofer Asir Rajan, "An Improved Bridgeless SEPIC PFC Converter", International Journal of Scientific & Engineering Research, vol. 5, Issue 3, 2014.
- [13] M. Mahdavi, H. Farzanehfard, "Bridgeless SEPIC PFC rectifier with reduced components and conduction losses", IEEE Trans. Ind. Electron., vol. 58, no. 9, pp. 4153-4160, Sep. 2011.
- [14] E. H. Ismail, "Bridgeless SEPIC rectifier with unity power factor and reduced conduction losses", IEEE Trans. Ind. Electron., vol. 56, no. 4, pp. 1147-1157, Apr. 2009.
- [15] Danly E. M., Jyothei G. K., "Simulation of Bridgeless SEPIC Converter with Modified Switching Pulse ", Journal of Modern Engin. Research, vol. 4 , no. 3, pp.15-23, Mar. 2014.
- [16] Athira K R., Rajan P T., Neena M., "Analysis of Bridgeless SEPIC Converter with Minimum Component Stress and Conduction Losses for the Speed Control of Dc Motor", Intern. J. of Adv. Research in Electr., Electron. and Ind. Engin., vol.3, no.5, pp.639-649, 2014.
- [17] J.-W. Yang "Bridgeless SEPIC converter with a ripple-free input current", IEEE Trans. Power Electron., vol. 28, no. 7, pp.3388 -3394, July, 2013.